







		ROGER → 213 ↑ 114 ↘ 43/121					
x 8 (70 mm)  a1	x 15 (50 mm)  a2	x 23  b1	x 8  b2	x 23  c1	x 8  c2		
x 18  d	x 8  e	x 1  f1	x 4  f2	x 2 kpl.  g	x 1 kpl.  h	240 min  	
x 16  l	x 24 (M-6)  m1	x 4 (M-10)  m2	x 40 (3x12)  n	x 8 (3,5x16)  o1	x 2 (4x20)  o2	 10	
x 38 (3,5x30)  p1	x 20 (3,5x40)  p2	x 4 (6,2x13)  r	x 2 (6,2x30)  s	x 4 (M-6x16)  u	x 8 (M-6x16)  w	x 4 (M-6x40)  x	
x 70  y	x 1  v					x 1  i	
x 2  j	x 1 (L)  k1	x 1 (P)  k2	x 1 (2051 mm)  t		x 1 (L)  z1	x 1 (P)  z2	x 3 (2500 mm)  q


1
- FAZY MONTAŻU

A
- OZNACZENIE ELEMENTÓW


a
- OZNACZENIE AKCESORIÓW




4












5




6






		ROGER NADSTAWKA ➤ 213 ↑ 80 ↘ 33				
x 24 	x 8 	x 10 	x 1 	x 12 		 60 min    Ø-5 Ø-8
x 6 	x 6 	x 2 kpl. 	x 2 			
x 1 	x 20 (3x12) 	x 22 (3,5x16) 	x 4 (6,2x13) 	x 100 	x 1 	
x 3 						


1 - FAZY MONTAŻU
 A - OZNACZENIE ELEMENTÓW
 a - OZNACZENIE AKCESORIÓW




4




5




6




7




8



9



ROGER NADSTAWKA



ROGER

